

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Sharthan

MEMORANDUM

Date: September 28, 2017

Subject: Efficacy Review for CLB I, EPA Reg. No. 5813-114

(DP Barcode: 441752, E-Submission: 20365)

From: Thao Pham

Efficacy Evaluation Team Product Science Branch

Antimicrobials Division (7510P)

Thru: Kristen Willis, Acting Team Leader

Product Science Branch

Antimicrobials Division (7510P)

To: Demson Fuller, Team 32 / Wanda Henson

Regulatory Management Branch II Antimicrobials Division (7510P)

Applicant: The Clorox Company

c/o PS&RC PO Box 493

Pleasanton, CA 94566-0803

Formulation from the Label:

Active Ingredient(s)	<u>% by wt.</u>
Sodium hypochlorite	6.05%
Other Ingredients	93.95%
Total	100 00%

I BACKGROUND

Product Description (as packaged, as applied): Liquid concentrate

Submission type: Label amendment

Currently registered efficacy claim(s): hospital and healthcare disinfectant (bactericidal, virucidal, fungicidal, tuberculocidal), food contact surface sanitizer, non-food contact surface sanitizer, laundry sanitizer, and deodorizer for use on hard, non-porous surfaces

Requested action(s): Removing claim for produce/fruit/vegetable wash, adding ballast water treatment bulletin, and adding additional organisms to the label.

Documents considered in this review:

- Letter from applicant to EPA dated June 14, 2017
- Data Matrix (EPA Form 8570-35)
- 10 efficacy studies (MRID 50289301-50289310)
- Proposed label, RC206041 dated 6/14/17
- Confidential Statement of Formula (EPA Form 8670-4) dated 6/2/2016.

II PROPOSED DIRECTIONS FOR USE

[For] Disinfecting [& De	[Amount [of]] this product	[of]] water	Instructions infect [& Deodorize] Hard, Nonporous Surfaces
[To Kill -or- Kills -or- For [99.9% of] [[these] common household germs]:] Insert relevant organism(s) from List 2A	1/2 cup [4 oz]	1 Gal[lon]	[Pre-]wash surface, [mop or] wipe with bleach solution. Let stand -or- Allow solution to contact surface [for] [at least] 5 min[utes]. Rinse well and air dry. [LT]-or- To disinfect insert relevant use surface(s) from List 5, pre-wash surface, then mop or wipe with a bleach solution. Allow solution to contact surface for [at least] 5 min[utes]. Rinse well and air dry.

III STUDY SUMMARIES

1.	MRID	502893-01	Study Comple	etion Dat	te:	2/16/1	6
Test organism	n(s)	Multi-drug Resistant Klebsiella pneumoniae (ATCC 51503)					
$\boxtimes 1 \square 2 \square 3$	□ 4 +						
Test Method		AOAC Use Dilu	tion Method				
Application N	Method	Liquid					
Test	Name/ID	CLB, FIS2015.0210 and CLB I, FIS2015.0315					
Substance	Lots	15SSB1	15SSB1				
Preparation	$\boxtimes 1 \square 2 \square 3$						
	Preparation	Tested concentration: LCL					
		Dilution: 1/2 cup/	Dilution: ½ cup/gallon (1:33)				
		Diluent: 100 ppr	n AOAC hard w	ater			
Soil load		5% fetal bovine	serum				
Carrier type,	# per lot	Stainless steel pe	enicylinders, 10				
Test condition	ns	Contact time	4 min 45 sec	Temp	20°C	RH	52.8%
Testing Lab ,	Lab Study ID	Accuratus Lab S	ervices, A2000	4			
Reviewer con	nments	Testing one lot f	from MRID 502	89302 wi	th an inc	reased c	ontact
(i.e. protocol deviations and time. An			ime. Antibiotic sensitivity testing shows multi drug resistance.				
amendments,	amendments, retesting, control						
failures, neutra	alizer, etc.)						

2.	MRID	502893-02	Study Comple	etion Da	te:	12/28/1	5
Test organism	(s)	Multi-drug Resistant Klebsiella pneumoniae (ATCC 51503)					
$\boxtimes 1 \square 2 \square 3$	□ 4 +						
Test Method		AOAC Use Dilu	ition Method				
Application M	lethod	Liquid					
Test	Name/ID	CLB, FIS2015.0	210 and CLB I,	FIS2015	5.0315		
Substance	Lots	15SSB1, 15SSB	2				
Preparation	\Box 1 \boxtimes 2 \Box 3						
	Preparation	Tested concentration: LCL					
		Dilution: ½ cup/gallon (1:33)					
		Diluent: 100 ppr	n AOAC hard w	vater			
Soil load		5% fetal bovine	serum				
Carrier type,	# per lot	Stainless steel pe	enicylinders, 10				
Test condition	S	Contact time	4 min 30 sec	Temp	20°C	RH	52.1%
Testing Lab, I	Lab Study ID	Accuratus Lab S	Services, A1972	3			
Reviewer com	ments	Antibiotic sensit	ivity testing sho	ws multi	drug resi	istance.	
(i.e. protocol de	(i.e. protocol deviations and						
amendments, retesting, control							
failures, neutra	lizer, etc.)						

3.	MRID	502893-03	Study Comple	etion Da	te:	2/3/16		
Test organism	(s)	Vancomycin Inte	Vancomycin Intermediate Resistant Staphylococcus aureus - VISA					
$\boxtimes 1 \square 2 \square 3$	□ 4 +	(CDC HIP 5836)					
Test Method		AOAC Use Dilu	tion Method					
Application M	lethod	Liquid						
Test	Name/ID	CLB, FIS2015.0210 and CLB I, FIS2015.0315						
Substance	Lots	15SSB1						
Preparation	$\boxtimes 1 \square 2 \square 3$							
	Preparation	Tested concentration: LCL						
		Dilution: ½ cup/gallon (1:33)						
		Diluent: 100 ppr	n AOAC hard w	ater				
Soil load		5% fetal bovine	serum					
Carrier type, #	# per lot	Stainless steel po	enicylinders, 10					
Test condition	S	Contact time	4 min 45 sec	Temp	20°C	RH	51.6%	
Testing Lab, I	Lab Study ID	Accuratus Lab S	Services, A20003	3				
Reviewer com	ments	Testing one lot f	rom MRID 502	89304 wi	ith an inc	reased co	ontact	
(i.e. protocol de	eviations and	time. Testing for Vancomycin resistance demonstrates intermediate						
amendments, retesting, control resistance for vancomycin.								
failures, neutra	lizer, etc.)							

4.	MRID	502893-04	Study Comple	tion Date	e:	12/28/1	.5	
Test organism	(s)	Vancomycin Inte	Vancomycin Intermediate Resistant Staphylococcus aureus - VISA					
$\boxtimes 1 \square 2 \square 3$	□ 4 +	(CDC HIP 5836)	1					
Test Method		AOAC Use Dilu	tion Method					
Application M	lethod	Liquid						
Test Name/ID CLB, FIS2015.0210 and CLB I, FIS2015.0315								
Substance	Lots	15SSB1, 15SSB	15SSB1, 15SSB2					
Preparation	\Box 1 \boxtimes 2 \Box 3							
	Preparation	Tested concentration: LCL						
		Dilution: ½ cup/gallon (1:33)						
		Diluent: 100 ppn	n AOAC hard wa	ater				
Soil load		5% fetal bovine	serum					
Carrier type,	# per lot	Stainless steel pe	enicylinders, 10					
Test condition	S	Contact time	4 min 30 sec	Temp	19°C	RH	49.2%	
Testing Lab, I	Lab Study ID	Accuratus Lab S	ervices, A19722					
Reviewer com	ments	Testing for Vanc	omycin resistanc	ce demons	strates int	termediat	te	
(i.e. protocol deviations and resistance for vancomycin.								
amendments, retesting, control								
failures, neutra	lizer, etc.)							

5.	MRID	502893-05	Study Comple	etion Dat	te:	8/26/16		
Test organism	(s)	Ebola virus (Zaire-Kikwit) (AIMS# 22955)						
$\boxtimes 1 \square 2 \square 3$	□ 4 +							
Test Method		Virucidal Effica	cy for Use on a	Hard, No	nporous S	Surface		
Application M	lethod	Liquid						
Test	Name/ID	CLB, FIS2015.0	0210 and CLB I	, FIS2015	5.0315			
Substance	Lots	15SSB2, 15SSB3						
Preparation	\square 1 \boxtimes 2 \square 3							
	Preparation	Tested concentra	ntion: LCL					
		Dilution: ½ cup/gallon (1:33)						
		Diluent: 100 ppr	n AOAC hard w	vater				
Soil load		5% fetal bovine serum						
Carrier type,	# per lot	Polysterine petri	dish, 1					
Test condition	S	Contact time	4 min 31 sec	Temp	21.3°C	RH		
Testing Lab, I	Lab Study ID	U.S. Army Medi	cal Research In	stitute of	Infectiou	s Diseases, GLP-		
		15-001						
Reviewer com	ments	Tested using EPA approved protocol by U.S. Army Medical						
(i.e. protocol de	eviations and	Research Institute of Infectious Diseases.						
amendments, re	etesting, control							
failures, neutra	lizer, etc.)							

6.	MRID	502893-06	Study Comp	letion Date	e:	3/14/	16	
Test organism	(s)	Middle East R	espiratory Syn	drome Coro	onaviru	ıs (ME	RS-CoV)	
$\boxtimes 1 \square 2 \square 3$	□ 4 +	Strain: EMC/2012						
Test Method		Virucidal Effic	cacy for Use or	n a Hard, No	onporc	ous Sur	face	
Application M	lethod	Liquid						
Test	Name/ID	CLB, FIS2015	CLB, FIS2015.0210 and CLB I, FIS2015.0315					
Substance	Lots	15SSB1, 15SS	15SSB1, 15SSB2					
Preparation	\square 1 \boxtimes 2 \square 3							
	Preparation	Tested concen	Tested concentration: LCL					
	_	Dilution: ½ cup/gallon (1:33)						
		Diluent: 100 p						
Soil load		5% serum						
Carrier type,	per lot	Glass carrier, 1						
Test condition	s	Contact	4 min 30	Temp 2	20°C	RH	21.9-35.2%	
		time	sec					
Testing Lab, I	Lab Study ID	MicroBio Test	, 320-608					
Reviewer com	ments	n/a						
(i.e. protocol de	(i.e. protocol deviations and							
amendments, re	amendments, retesting, control							
failures, neutra	lizer, etc.)							

7.	MRID	502893-07	Study Compl	etion Da	ite:	4/6/1	7
Test organism	(s)	Enterococcus faecium (ATCC 6569)					
$\boxtimes 1 \square 2 \square 3$	4 +						
Test Method		AOAC Disinfe	ctant (Water) fo	or Swimr	ning Poo	ols	
Application M	ethod	Liquid					
Test Name/ID CLB, EPA Reg. No. 5813-111, FIS2015.0212 and							
Substance		CLB I, EPA Re	eg. No. 5813-11	4, FIS20	15.0320)	
Preparation	Lots	17SSB02					
	$\boxtimes 1 \square 2 \square 3$						
	Preparation	Tested concentration: LCL					
		Dilution: 0.50-	0.54 ppm availa	ble chlo	rine		
		Diluent: sterile	deionized wate	r			
Soil load		n/a					
Carrier type, #	per lot	Flask, 3					
Test condition	S	Contact time	30 seconds	Temp	20°C	RH	n/a
Testing Lab, I	ab Study ID	Accuratus Lab	Services, A226	51			
Reviewer com	ments	n/a					
(i.e. protocol de	eviations and						
amendments, retesting, control							
failures, neutra	lizer, etc.)						

8.	MRID	502893-08	Study Comp	letion Da	te:	4/18/	17		
Test organism	(s)	Enterococcus	faecium (ATC	C 6569)					
$\boxtimes 1 \square 2 \square 3$	□ 4 +								
Test Method		AOAC Disinfo	ectant (Water)	for Swimi	ning Po	ols			
Application M	lethod	Liquid							
Test	Name/ID	CLB, EPA Re	CLB, EPA Reg. No. 5813-111, FIS2015.0212 and						
Substance		CLB I, EPA R	eg. No. 5813-1	14, FIS20	015.032	0			
Preparation	Lots	17SSB01							
	$\boxtimes 1 \square 2 \square 3$								
	Preparation	Tested concentration: LCL							
	_	Dilution: 0.50-0.54 ppm available chlorine							
		Diluent: sterile	deionized wat	ter					
Soil load		n/a							
Carrier type,	# per lot	Flask, 3							
Test condition	S	Contact	30 seconds	Temp	20°C	RH	n/a		
		time							
Testing Lab, I	Lab Study ID	Accuratus Lab	Services, A22	935					
Reviewer com	ments	n/a							
(i.e. protocol deviations and									
amendments, re	amendments, retesting, control								
failures, neutra	lizer, etc.)								

9.	MRID	502893-09	Study Comp	letion Date:	4/12/	17	
Test organism	(s)	Escherichia co	oli (ATCC 1122	29)			
$\boxtimes 1 \square 2 \square 3$	4 +						
Test Method		AOAC Disinfe	ectant (Water) f	for Swimming	Pools		
Application M	lethod	Liquid					
Test	Name/ID		CLB, EPA Reg. No. 5813-111, FIS2015.0212 and				
Substance		CLB I, EPA R	eg. No. 5813-1	14, FIS2015.0	0320		
Preparation	Lots	17SSB01					
	$\boxtimes 1 \square 2 \square 3$						
	Preparation	Tested concentration: LCL					
		Dilution: 0.50-0.54 ppm available chlorine					
		Diluent: sterile	e deionized wat	er			
Soil load		n/a					
Carrier type, #	# per lot	Flask, 3					
Test condition	S	Contact	30 seconds	Temp 20°	C RH	n/a	
		time					
Testing Lab, I	Lab Study ID	Accuratus Lab	Services, A22	700			
Reviewer com	ments	n/a					
(i.e. protocol de	eviations and						
amendments, re	etesting, control						
failures, neutra	lizer, etc.)						

10.	MRID	502893-10	Study Com	pletion l	Date:	4/11/	17	
Test organism	(s)	Escherichia coli	(ATCC 1122	29)				
$\boxtimes 1 \square 2 \square 3$	□ 4 +							
Test Method		AOAC Disinfec	tant (Water) f	or Swim	ming Po	ools		
Application M	lethod	Liquid						
Test	Name/ID	CLB, EPA Reg.	CLB, EPA Reg. No. 5813-111, FIS2015.0212 and					
Substance		CLB I, EPA Reg	g. No. 5813-1	14, FIS2	015.032	.0		
Preparation	Lots	17SSB02						
	$\boxtimes 1 \square 2 \square 3$							
	Preparation	Tested concentra	Tested concentration: LCL					
		Dilution: 0.50-0	.54 ppm avail	able chlo	orine			
		Diluent: sterile o	leionized wat	er				
Soil load		n/a						
Carrier type,	# per lot	Flask, 3						
Test condition	S	Contact time	30 sec	Temp	20°C	RH	n/a	
Testing Lab, I	Lab Study ID	Accuratus Lab S	Services, A22	730				
Reviewer com	ments	n/a						
(i.e. protocol de	eviations and							
amendments, retesting, control								
failures, neutra	lizer, etc.)							

IV STUDY RESULTS

Disinfection – Bactericidal Efficacy

MRID	Organism	No. Exhibiting	Average					
		Total No. Teste	log ₁₀ CFU/					
		Batch 15SSB1	Batch 15SSB2	Carrier				
4	minute 45 second contact time, 100 ppm AOAC ha	ard water, 5% so	il load, ½ cup/gal	llon				
50289301	Multi-drug Resistant (MDR) Klebsiella	0/10	-	5.89				
	pneumoniae (ATCC 51503)							
4 minute 30 second contact time, 100 ppm AOAC hard water, 5% soil load, ½ cup/gal								
50289302	Multi-drug Resistant (MDR) Klebsiella	1/10	0/10	6.05				
	pneumoniae (ATCC 51503)							
4	4 minute 45 second contact time, 100 ppm AOAC hard water, 5% soil load, ½ cup/gallon							
50289303	Vancomycin Intermediate Resistant	0/10	-	6.34				
	Staphylococcus aureus - VISA (CDC HIP 5836)							
4 minute 30 second contact time, 100 ppm AOAC hard water, 5% soil load, ½ cup/gallon								
50289304	Vancomycin Intermediate Resistant	1/10	0/10	6.29				
	Staphylococcus aureus - VISA (CDC HIP 5836)							

<u>Disinfection – Virucidal Efficacy</u>

MRID	Organism	Description	Batch		Dried Virus Control				
No.			15SSB2	15SSB3	(PFU/mL)				
4-mi	4-minute 31 second contact time, 100 ppm AOAC hard water, 5% soil load, ½ cup/gallon								
50289305	Ebola virus	10 ⁻² to 10 ⁻⁶	Complete Complete		1.01×10^4				
	(Zaire-Kikwit)	dilutions	Inactivation Inactivation						
	(AIMS#	Plaque Assay	6.15 X 10 ⁴						
	22955)	Positive Control							
		Log Reduction	<u>≥</u> 4.00	<u>≥</u> 4.00					

Disinfection – Virucidal Efficacy

MRID	Organism	Description	Batch		Dried Virus				
No.			15SSB1	15SSB2	Control (PFU/mL)				
4-n	4-minute 30 second contact time, 100 ppm AOAC hard water, no soil load, ½ cup/gallon								
50289306	Middle East Respiratory	10 ⁻² to 10 ⁻⁷	Complete	Complete	$5.85 \log_{10}$				
	Syndrome Coronavirus	dilutions	Inactivation	Inactivation	(TCID ₅₀ /carrier)				
	(MERS-CoV) Strain:	Log_{10}	≤1.10	≤1.10					
	EMC/2012, BEI	TCID ₅₀ /carrier							
	Resources	Log Reduction	≥4.75	≥4.75					

Disinfection – Swimming Pool Efficacy

MRID	n – Swimming Pool Effica Organism	Description	Batch		Dried Virus
No.	- G	L	17SSB01	17SSB02	Control
	Sterile deion	ized water, no se			
50289307	Enterococcus faecium	0.5 minutes		0/5	$6.85 \log_{10}$
	(ATCC 6569)	1 minute		0/5	
		2 minutes		0/5	
		3 minutes		0/5	
		4 minutes		0/5	
		5 minutes		0/5	
		10 minutes		0/5	
		ized water, no se		ppm NaOCl	
50289308	Enterococcus faecium	0.5 minutes	0/5		$6.78 \log_{10}$
	(ATCC 6569)	1 minute	0/5		
		2 minutes	0/5		
		3 minutes	0/5		
		4 minutes	0/5		
		5 minutes	0/5		
		10 minutes	0/5		
		ized water, no se		ppm NaOCl	
50289309	Escherichia coli (ATCC	0.5 minutes	0/5		$7.26 \log_{10}$
	11229)	1 minute	0/5		
		2 minutes	0/5		
		3 minutes	0/5		
		4 minutes	0/5		
		5 minutes	0/5		
		10 minutes	0/5		
		ized water, no se	oil load, 0.51 p	-	1
50289310	Escherichia coli (ATCC			0/5	$-$ 7.09 \log_{10}
	11229)	1 minute		0/5	
		2 minutes		0/5	
		3 minutes		0/5	
		4 minutes		0/5	
		5 minutes		0/5	
		10 minutes		0/5	

V STUDY CONCLUSIONS

MRID	Claim	Surface Type	Application Method(s) and Dilution	Contact Time	Soil load	Diluent	Organism(s)	Data support tested conditions?
50289301, 50289302, 50289303, 50289304	Disinfectant, bactericidal	Hard, non- porous surfaces	Liquid, ½ cup per gallon of water (1:33 dilution)	4 minutes 45 seconds	5%	100 ppm AOAC hard water	 Multi-drug Resistant (MDR) Kebsiella pneumoniae (ATCC 51503) Vancomycin Intermediate Resistant Staphylococcus aureus - VISA (CDC HIP 5836) 	Yes*
50289305, 50289306	Disinfectant, virucidal	Hard, non- porous surfaces	Liquid, ½ cup per gallon of water (1:33 dilution)	4 minutes 30 seconds	5%	100 ppm AOAC hard water	 Ebola virus (Zaire-Kikwit) Middle East Respiratory Syndrome Coronavirus (MERS-CoV), Strain: EMC/2012 	Yes
50289307, 50289308, 50289309, 50289310	Disinfectant, bactericidal	Swimming pool water	Liquid, 0.50-0.54 ppm	30 seconds	5%	Sterile deionized water	 Enterococcus faecium (ATCC 6569) Escherichia coli (ATCC 11229) 	Yes

^{*} Note: MRIDs 50289302 and 50289304 each failed one batch for testing at 4 minutes and 30 seconds. Therefore, the minimum contact time supported is 4 minutes and 45 minutes as shown in MRID 50289301 and 50289303.

VI LABEL COMMENTS

Label Date: 6/14/17

- 1. The proposed label claims that the product, CLB 1, when diluted at 1/2 cup per gallon of water, is an effective disinfectant against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 5-minute contact time:
 - Multi-drug Resistant (MDR) Klebsiella pneumoniae (ATCC 51503)
 - Vancomycin Intermediate Resistant Staphylococcus aureus VISA (CDC HIP 5836)
 - Ebola virus (Zaire-Kikwit)
 - Middle East Respiratory Syndrome Coronavirus (MERS-CoV), Strain: EMC/2012

These claims are **acceptable** as they are supported by the submitted data.

- 2. The proposed label claims that the product, CLB 1 (alternate formulation), when maintained at 0.6-1.0 ppm available chlorine, is an effective disinfectant for swimming pools:
 - Enterococcus faecium (ATCC 6569)
 - Escherichia coli (ATCC 11229)

These claims are <u>acceptable</u> as they are supported by the submitted data. It should be noted that the product was diluted in sterile deionized water to develop the data submitted to support these claims. Through an agreement with the agency, field testing is waived for this product in support of this claim.

- 3. The proposed label claims that the product, CLB 1, when diluted at 1/2 cup per gallon of water, is an effective disinfectant against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 5-minute contact time:
 - Multi-drug Resistant Acinetobacter baumannii
 - Avian influenza [Type A] virus (H5N1)
 - Avian Influenza A (H7N9) virus
 - Coxsackievirus B3 virus
 - Mumps virus

These claims are acceptable as they are supported by data submitted for EPA Reg. No. 5813-111.

- 4. Throughout the label, revise units from ounces to fluid ounces.
- 5. On page 9, 12, and 15 of the label, for mold and mildew removal, the claims for effectiveness at ³/₄ cup per ³/₄ gallon at 5 minutes is supported by data submitted for EPA Reg. No. 5813-100.
- 6. On page 14 of the label, remove "to prevent the spread of Cold & Flu Viruses" or revise "prevent" to "reduce" and add the qualifier "on treated surfaces."
- 7. On page 17 of the label, next to Influenza A virus, remove "flu virus." Next to Adenovirus [type 2], revise "causes colds" to "a cause of the common cold." Next to Rhinovirus type 37, revise to "[(a cause of the common cold)]."

- 8. On page 20 of the label, further clarify "stainless" (e.g. stainless steel).
- 9. On page 21-22 of the label:
 - a. Qualify bullets that combine cleaning and disinfection claims with "when used according to disinfection instructions"
 - b. Remove claims to "protect" areas or surfaces.
 - c. Remove claim to "prevent the spread of cold and flu viruses".
 - d. Remove or revise "meets AOAC efficacy standards" to "tested using the AOAC Use Dilution Method."
- 10. On page 23 of the label, insert the table of relevant viruses to support each virus type under "Emerging Viral Pathogen Claims" from the Terms of Registration letter.
- 11. On pages 24-27
 - a. Clarify claims to "protect surfaces" to be specific for non-public health (e.g. stains or odor)
 - b. Clarify claims for "surface attackers" or "destroyers" to be specific for non-public health cleaning only
 - c. Qualify "around the home" with either "hard nonporous surfaces" or specify that the claim is only for non-public health cleaning.
- 12. On page 44 of the label, remove claims for "rubber teat cups and tubes." Data only supports use on hard, non-porous surfaces.

Notes to PM:

- Please verify language regarding use in septic and waste water treatment.
- Please verify Ballast Water Treatment Bulletin.
- No efficacy data is available to support meat and poultry processing water use.